

BCLPemerging.com

PFAS UPDATE: STATE SOIL CONCENTRATION REGULATIONS, JULY 2023

Jul 31, 2023

This blog was originally published in July 2023. Visit our up-to-date blog on PFAS in soil: state regulations >

In the absence of binding federal standards for per- and polyfluoroalkyl substances ("PFAS") in soil, several states have started the process of regulating PFAS in soil themselves. These regulations have implications for site investigations as well as remediation decisions. This client alert explores the current landscape of state regulations regarding the guidance, notification, and clean up levels for PFAS – most commonly perfluorooctane sulfonic acid ("PFOS") and perfluorooctanoic acid ("PFOA") – in soil.

FEDERAL REGIONAL SCREENING LEVELS

The United States Protection Agency ("EPA") has issued Regional Screening Levels ("RSLs") for six PFAS substances. RSLs are advisory levels and are not legally binding, but both EPA and state agencies often use RSLs to investigate and characterize potential remediation sites.

PFOS

RESIDENTIAL SOIL LEVEL (MG/KG)

0.13

INDUSTRIAL SOIL LEVEL (MG/KG)

1.6

PFOA

RESIDENTIAL SOIL LEVEL (MG/KG)

0.19

INDUSTRIAL SOIL LEVEL (MG/KG)

2.5

HFPO-DA

RESIDENTIAL SOIL LEVEL (MG/KG)

0.23

INDUSTRIAL SOIL LEVEL (MG/KG)

3.5

PFBS

RESIDENTIAL SOIL LEVEL (MG/KG)

19

INDUSTRIAL SOIL LEVEL (MG/KG)

2,500

PFHXS

RESIDENTIAL SOIL LEVEL (MG/KG)

1.3

INDUSTRIAL SOIL LEVEL (MG/KG)

16

PFNA

RESIDENTIAL SOIL LEVEL (MG/KG)


0.19

INDUSTRIAL SOIL LEVEL (MG/KG)

STATE REGULATIONS

The information provided below is current as of **July 24, 2023**, but it is important to note that this is a developing regulatory space. For example, Florida and New Hampshire have enacted legislation which requires their environmental agencies to establish and/or revise soil regulations for various PFAS substances, but those new standards have not been issued, and other states are in the process of passing new laws on this topic, so the regulatory landscape will continue to change over the next several months.

PFAS SOIL REGULATIONS



The information is current as of July 24, 2023

ALASKA

PFOA and PFOS

Arctic zone: 2.2 mg/kg

Under 40 inch zone: 1.6 mg/kg

Over 40 inch zone: 1.3 mg/kg

TYPE OF REGULATION

Clean up

INFORMATION

Regulation (See 18 AAC 75, Table B-1)

CALIFORNIA

CONCENTRATION LEVEL

PFOA

- Resident non-cancer hazard: .028 mg/kg
- Commercial/industrial non-cancer hazard: .37 mg/kg
- Construction worker non-cancer hazard: .086 mg/kg

PFOS

- Resident non-cancer hazard: .11 mg/kg
- Commercial/industrial nonconcern hazard: 1.5 mg/kg
- Construction worker non-cancer hazard: .34 mg/kg

Note: There are also cancer risk standards for all of these categories

TYPE OF REGULATION

Screening level advisory

INFORMATION

California water boards interim final environmental screening levels (see pg. 12)

CONNECTICUT

CONCENTRATION LEVEL

PFOA + PFOS + PFNA + PFHxS + PFHpA = 1.35 mg/kg

TYPE OF REGULATION

Clean up

INFORMATION

Remediation standard regulations, residential direct exposure criteria (Table 2)

DELAWARE

CONCENTRATION LEVEL

PFOS and PFOA: 1.3 mg/kg

TYPE OF REGULATION

Notification

INFORMATION

Hazardous Substance Cleanup Act Reporting Level table (see table, page 9)

FLORIDA

CONCENTRATION LEVEL

PFOS and PFOA

• Residential: 1.3 mg/kg

Commercial/industrial: 25 mg/kg

TYPE OF REGULATION

Screening level/advisory

INFORMATION

HAWAII

CONCENTRATION LEVEL

PFOS and PFOA

- .025 mg/kg
- 16 other substances (Hawaii has regulated soil concentrations for 16 additional PFAS compounds: PFDA (.0025 mg/kg); PFNA (.0028 mg/kg); PFUnDA (.0063 mg/kg); PFDoDA and PFTrDA (.0084 mg/kg); PFHxS (.012 mg/kg); PFHpS and PFDS (.013 mg/kg); PFOSA (.015 mg/kg); PFHpA (.025 mg/kg); PFTeDA (.084 mg/kg); HFPO-DA (.1 mg/kg); PFPeA (.51 mg/kg); PFHxA (2.5 mg/kg); PFBA (4.8 mg/kg); and PFBS (250 mg/kg))

TYPE OF REGULATION

Screening level/advisory

INFORMATION

Environmental Action Levels (see table A-1)

INDIANA

CONCENTRATION LEVEL

PFOS

3 mg/kg

PFOA and PFNA

5 mg/kg

PFHxS

• 30 mg/kg

PFBS

500 mg/kg

TYPE OF REGULATION

Screening level/advisory

INFORMATION

Standard exposure levels

IOWA

CONCENTRATION LEVEL

PFOS

• 0.00048 mg/kg

PFNA

.18 mg/kg

PFHxS

• 1.6 mg/kg

PFBS

• 18 mg/kg

PFOA

• 35 mg/kg

PFHxA

• 39 mg/kg

PFBA

• 61 mg/kg

TYPE OF REGULATION

Screening level/advisory

INFORMATION

Statewide standards

MAINE

CONCENTRATION LEVEL

PFOS and PFOA

Residential: 1.7 mg/kg

Commercial worker: 22 mg/kg

Construction worker: 5.1 mg/kg

PFBS

Residential: 1,700 mg/kg

Commercial worker: 22,000 mg/kg

Construction worker: 51,000 mg/kg

Note: other standards are listed, such as leaching, park user, or recreator sediment

TYPE OF REGULATION

Screening level/advisory

INFORMATION

Remedial Action Guidelines (pg. 46)

MASSACHUSETTS

CONCENTRATION LEVEL

- .3 mg/kg (stated in the regulation as .3 ppm)
- 6 PFAS substances combined: PFOA, PFOS, PFHxS, PFNA, PFHpA, and PFDA for SW-1
- Note: the concentration level depends on the soil classification designation

TYPE OF REGULATION

Clean up

INFORMATION

Regulation (see Table 5) and Mass DEP related information

MICHIGAN

CONCENTRATION LEVEL

PFOS

• 0.22 ug/kg

PFOA

• 350 ug/kg

TYPE OF REGULATION

Clean up

INFORMATION

Regulation

MINNESOTA

CONCENTRATION LEVEL

PFOS (stated in the blueprint in ng/g)

Residential: .041 mg/kg

Non-residential: .56 mg/kg

PFHxS

Residential: .13 mg/kg

Non-residential: 1.7 mg/kg

PFOA

Residential: .24 mg/kg

Non-residential: 3.2 mg/kg

PFBA

Residential: 38 mg/kg

Non-residential: 520 mg/kg

PFBS

Residential: 57 mg/kg

Non-residential: 77 mg/kg

TYPE OF REGULATION

Screening level/advisory

INFORMATION

PFAS Blueprint (see pgs. 180-182)

NEBRASKA

CONCENTRATION LEVEL

PFOA

Residential: .32 mg/kg

• Industrial: 1.5 mg/kg

PFOS

Residential: 3.2 mg/kg

Industrial: 150 mg/kg

Note: This is for the Voluntary Cleanup Program only

TYPE OF REGULATION

Screening level/advisory

INFORMATION

Regulation (see table A-1)

NEVADA

CONCENTRATION LEVEL

PFOA:

- Residential: 2.35 mg/kg
- Indoor industrial/commercial worker: 70.1 mg/kg
- Outdoor industrial/commercial worker: 78.9 mg/kg

PFOS:

- Residential: 1.56 mg/kg
- Indoor industrial/commercial worker: 46.7 mg/kg
- Outdoor industrial/commercial worker: 26 mg/kg

PFBS

- Residential: 19 mg/kg
- Indoor industrial/commercial worker: 701 mg/kg
- Outdoor industrial/commercial worker: 274 mg/kg

TYPE OF REGULATION

Screening level/advisory

INFORMATION

Basic comparison levels

NEW HAMPSHIRE

CONCENTRATION LEVEL

PFOS

- Residential: 0.1 mg/kg
- Non-residential: 0.6 mg/kg

PFHxS and PFNA

Residential: 0.1 mg/kg

Non-residential: 0.9 mg/kg

PFOA

Residential: 0.2 mg/kg

Non-residential: 1.3 mg/kg

TYPE OF REGULATION

Screening level/advisory

INFORMATION

Environmental Health Program direct contact risk-based soil concentrations

NEW JERSEY

CONCENTRATION LEVEL

PFNA

Residential: .047 mg/kg

Non-residential: .67 mg/kg

PFOS

Residential: .11 mg/kg

Non-residential: 1.6 mg/kg

PFOA

Residential: .13 mg/kg

Non-residential: 1.8 mg/kg

GenX

- Residential: .23 mg/kg

Non-residential: 3.9 mg/kg

TYPE OF REGULATION

Clean up

INFORMATION

Interim soil remediation standards and NJDEP related information

NEW MEXICO

CONCENTRATION LEVEL

PFOS, PFOA, and PFHxS

Residential: 1.56 mg/kg

Industrial/occupational: 260 mg/kg

Construction worker: 7.08 mg/kg

TYPE OF REGULATION

Screening level/advisory

INFORMATION

Soil Screening Guidance for Human Health Risk Assessments (see Table 5-3)

NEW YORK

CONCENTRATION LEVEL

PFOA (stated in the document in ppb)

Residential: .0066 mg/kg

Commercial: .5 mg/kg

Industrial: .6 mg/kg

PFOS

Residential: .0088 mg/kg

Commercial: .44 mg/kg

• Industrial: .44 mg/kg

TYPE OF REGULATION

Screening level/advisory

INFORMATION

New York Department of Environmental Conservation Sampling, Analysis, and Assessment of PFAS (see pg. 3)

NORTH CAROLINA

CONCENTRATION LEVEL

PFOS

Residential: .025 mg/kg

Industrial: .33 mg/kg

PFHxS

Residential: .25 mg/kg

Industrial: 3.3 mg/kg

PFOA

Residential: .038 mg/kg

Industrial: .49 mg/kg

PFNA

Residential: .038 mg/kg

Industrial: .49 mg/kg

Ammonium perfluoro-2-methyl-3-oxahexanoate

Residential: .038 mg/kg

Industrial: .49 mg/kg

HFPO-DA (GenX)

Residential: .047 mg/kg

Industrial: .7 mg/kg

PFBS

Residential: 3.8 mg/kg

• Industrial: 49 mg/kg

TYPE OF REGULATION

Screening level/advisory

INFORMATION

Preliminary Soil Remediation Goals

PENNSYLVANIA

CONCENTRATION LEVEL

PFOA and PFOS

Residential: 4.4 mg/kg

Non-residential: 64 mg/kg

PFBS

Residential: 66 mg/kg

Non-residential: 960 mg/kg

TYPE OF REGULATION

Clean up

INFORMATION

Regulation and related information

TEXAS

CONCENTRATION LEVEL

PFOA

.5 acre source area: .6 mg/kg

30 acre source area: .49 mg/kg

PFOS

.5 acre source area: 1.5 mg/kg

30 acre source area: 1.5 mg/kg

16 different PFAS substances

• Residential soil limits (not commercial) in Texas are as follows: PFOSA: .5 acre source area - .058 mg/kg and 30 acre source area: .031 mg/kg; PFHxS: .5 acre source area - .25 mg/kg and 30 acre source area - .24 mg/kg; PFPeA and PFHxA: .5 and 30 acre source area - .25 mg/kg; PFTeDA: .5 and 30 acre source area - .51 mg/kg; PFTrDA: .5 and 30 acre source area - .61 mg/kg; PFNA: .5 acre source area - .76 mg/kg and 30 acre source area: .73 mg/kg; PFDoA: .5 acre source area - .79 mg/kg and 30 acre source area - .78 mg/kg; PFDS and PFUnDA: .5 and 30 acre source area - .98 mg/kg; PFDA: .5 acre source area - .99 mg/kg and 30 acre source area - 1.5 mg/kg; PFBA: .5 acre source area - 180 mg/kg and 30 acre source area - 160 mg/kg; PFBS: .5 acre source area - 860 mg/kg and 30 acre source area: 800 mg/kg.

TYPE OF REGULATION

Clean up

INFORMATION

Protective Concentration Levels, see March 2022 tier 1 PCL table; residential (table 1) and commercial (table 2)

VERMONT

CONCENTRATION LEVEL

PFOS, PFOA, PFHpA, PFHxS, PFNA

Residential: 1.22 mg/kg

Non-residential: 14.36 mg/kg

TYPE OF REGULATION

Notification

INFORMATION

Investigation and Remediation of Contaminated Properties Rule (see Appendix A)

WASHINGTON

CONCENTRATION LEVEL

PFNA

.2 mg/kg

PFOA

- .24 mg/kg

PFOS

.24 mg/kg

HFPO-DA (GenX)

.24 mg/kg

PFHxS

• .78 mg/kg

PFBS

24 mg/kg

TYPE OF REGULATION

Screening level/advisory

INFORMATION

WISCONSIN

CONCENTRATION LEVEL

PFOA and PFOS

Residential: 1.26 mg/kg

Industrial: 16.4 mg/kg

TYPE OF REGULATION

Clean up

INFORMATION

Remedial Action Regulation and related Information

NO ENACTED PFAS SOIL REGULATIONS

No enacted PFAS soil regulations (as of the date of publication):

- Alabama
- Arizona
- Arkansas
- Colorado
- Georgia
- Idaho
- Illinois
- Kansas
- Kentucky
- Louisiana
- Maryland

- Mississippi
- Missouri
- Montana
- North Dakota
- Ohio
- Oklahoma
- Oregon
- Rhode Island
- South Carolina
- South Dakota
- Tennessee
- Utah
- Virginia
- West Virginia
- Wyoming

Key

Notification: A corporate representative must inform the appropriate state official that the soil concentration is above the stated limit.


Screening level/advisory: These levels are not binding limits, but they can serve as the basis for regulatory action, and are a useful tool for due diligence and risk assessment.

Clean up: Investigation and remediation is usually required when concentration levels exceed the clean up threshold. This is usually expressed by soil concentration standards that identify specific clean up criteria.

ANALYSIS

Perhaps the most remarkable thing about the different state regulations regarding PFAS in soil is the wide range of regulated concentration levels. For example, lowa regulates PFOS at 0.00048

mg/kg, while Pennsylvania regulates PFOS at 4.4 mg/kg for residential (64 mg/kg for non-residential). Some of these discrepancies are as a result of the differing compounds being regulated; as a result, the following chart illustrates the discrepancies only in the concentration levels for PFOA and/or PFOS.



The information is current as of July 24, 2023

Notably, there are substantial differences in the regulatory concentrations (sometimes measured by orders of magnitude) for the same compounds across the different states. This variably presents obvious diligence and compliance challenges for businesses that buy, sell, and operate properties across the country, and which may need to engage with regulators on future site investigation and remediation projects.

CONCLUSION

Businesses operating in the states where soil regulations have been enacted should consider whether they currently use or discharge any of the regulated PFAS compounds into the soil, or have done so in the past. In addition, prospective purchasers of commercial and industrial properties in these jurisdictions will increasingly need to incorporate the soil contamination standards as part of their due diligence processes in order to underwrite the potential risk of future regulatory action.

For more information on PFAS chemicals, and the regulatory and litigation risks that they pose, please visit our PFAS webpage. If you have a question about how to manage PFAS risk in any

jurisdiction, contact Tom Lee, John Kindschuh, Emma Cormier, or any other member of our PFAS team at Bryan Cave Leighton Paisner LLP.

RELATED CAPABILITIES

- PFAS
- Environment

MEET THE TEAM



Thomas S. Lee

San Francisco tom.lee@bclplaw.com +1 415 675 3447



Emma R. Cormier

St. Louis
emma.cormier@bclplaw.com
+1.314.259.2160



John R. Kindschuh

St. Louis john.kindschuh@bclplaw.com +1 314 259 2313 This material is not comprehensive, is for informational purposes only, and is not legal advice. Your use or receipt of this material does not create an attorney-client relationship between us. If you require legal advice, you should consult an attorney regarding your particular circumstances. The choice of a lawyer is an important decision and should not be based solely upon advertisements. This material may be "Attorney Advertising" under the ethics and professional rules of certain jurisdictions. For advertising purposes, St. Louis, Missouri, is designated BCLP's principal office and Kathrine Dixon (kathrine.dixon@bclplaw.com) as the responsible attorney.